



POP Media Player

- ✓ Built For 7/24/365, One Board Fits 7 Sizes
- ✓ 1080P Video Playback Auto Loop
- ✓ Retail-Friendly: Built-in VESA & Slot Locker

Specifications



LCD Shelf-Edge With Programmable Playback List

14-inch To 32-inch



7-inch

Compact, Light-weight, Fast-deployment



10.1"

Framed Display With Frontal Capacitive touch buttons (Optional with GPIO Buttons)



27 /32 inch



14 / 15.6 /18.5 /21.5-inch

Compact, Strong, Flexible:One Board Fits from 14" to 32"



- ✓ Strong 1080P Video Decoder



- ✓ Genuine Tempered Glass



- ✓ Built-in VESA Mount



- ✓ Brilliant Card Slot Protector



- ✓ HDMI-in As Monitor



- ✓ Power-On Plug & Play



- ✓ Built-in Timer & Scheduler

Specifications:

CPU	Amlogic 6210D	7", 10.1", 14", 15.6", 18.5"
	Mstar V59	7", 10.1", 14", 15.6", 18.5", 21.5", 24", 27", 32"
Internal Memory	128MB/4GB (Amlogic only)	7", 10.1", 14", 15.6", 18.5"
	16MB	7", 10.1", 14", 15.6", 18.5", 21.5", 24", 27", 32"
Warranty & Service	Warranty	2 Years
	RMA Parts Availability	5 Years

Security Fixture, Interface & Media Format Support:

Security Fixture	Interface	Supported Media
VESA Card Slot Locker Kengston Locker	SD, Support Up To 32GB USB OTG USB HOST DV Power Input 3.5mm headphone HDMI in (V1.3)	Video: MPEG-1, MPEG-2, MPEG-4, H.264, VC1, RV, Up to 1080P Audio: MP3/MWA/AAC IMAGE:JPEG/BMP/PNG * Amlogic Processor Supports 720x576 pixels video max.


Others

Speaker	2X1W	7", 10.1"
	2X2W	14", 15.6", 18.5"
	2X3W	21.5", 24", 27", 32", 43"

LCD Panel & Mechanical

Model No.	MP701	MP1010	MP1400	MP1560	MP1850	MP2150	MP2400	MP2700	MP3200	MP4300	
Screen Size	7"	10.1" IPS / TN	14" IPS	15.6" IPS	18.5"	21.5" IPS	24"	27"	32"	43"	
Resolution	1024x600	1280x800/1024x600	1920x1080	1920x1080	1366x768	1920x1080	1920x1080	1920x1080	1920x1080	1920x1080	
Aspect Ratio	16:9	16:9	16:9	16:9	16:9	16:9	16:9	16:9	16:9	16:9	
Brightness CD/m2	250	300	300	300	300	300	300	300	300	300	
Contract Ratio	500:1	700:1	700:1	700:1	1000:1	1000:1	1000:1	1000:1	3000:1	3000:1	
Viewing Angle H/V	170/160	178/178	178/178	178/178	170/160	178/178	178/178	178/178	178/178	178/178	
Mounting	75mm vesa	75mm vesa	75mm vesa	75mm vesa	75mm vesa	100mm vesa	100 mm vesa	100mm vesa	100mm vesa	100mm vesa	
Housing	ABS Plastic							Metallic			
Battery Driven	Amlogic Only	Amlogic Only									
Activation Options	Motion Sensor, Push Button	Motion Sensor, Push Button	Motion Sensor, Push Button	Motion Sensor, Push Button	Motion Sensor, Push Button	Motion Sensor, Push Button	Motion Sensor, Push Button	Motion Sensor, Push Button	Motion Sensor, Push Button	Motion Sensor, Push Button	
AC Adapter	12V /1A	12V /1A	12V / 3A				12V /5A				
Dimension			355x228x32.6m	404x253x33.5m	468x288x37.5m	538x331x37.5m	595.5x363.1x43.6mm	663.73x400x41.1mm	763.77x457.21x47.02mm	TBA	
Weight/ Unit kgs			1.00	1.20	3.00	3.50	4.80	5.30	7.60	TBA	
Unit Packing			390x330x80mm	430x360x85mm	528x110x395m	600x120x425m				TBA	
Quantity / Carton			5	7	3	4				TBA	
Carton Size			430x410x370mm	620x440x375mm	54x35.5x41c	61.2x51x44cm				TBA	




What Makes Us Different






Reliability Verification: Aging @ -20°C - 60°C for 72 hours

LCD Backlight Made Based on Calibrated Chromaticity Coordinates


Mechanical Drawings:





7-inch





10.1 inch









14-inch





15.6 inch





18.5 inch





21.5 inch



24-inch



27-inch



32-inch

